





JCA-UST-011

Compliance Inspection

LUST

NO LUST

Sampling Activities Related to a Site Investigation Plan, Corrective Action Plan or Confirmatory Sampling

| Inspection date:EQB employee who performs the inspection: | UST - 2 - | - |
|---|-----------|---|
|---|-----------|---|

OBJECTIVES

- 1. Observe the implementation of health and safety measures during field activities, including security control in place. Verify that the Health and Safety Plan is carried out in accordance with the EQB's UST Permanent Closure Guide during all field activities, daily meetings to discuss safety measures, use of personal protective equipment and demarcation of the work area for the protection of the employee and the public in general.
- 2. Verify that all elements of the EQB's UST Permanent Closure Guide are properly implemented.
- 3. Verify that quality control and certainty (QA/QC) protocols, including equipment decontamination, sampling, frequency of quality control sampling, water quality for the blanks, and the calibration of the field instruments are duly implemented.
- 4. Verify that the data generated from the field activities and the sampling activities are valid scientifically and legally defensible.
- 5. Verify that the Sop's used for sampling and decontaminating equipment are correctly implemented.
- 6. Observe the field activities to identify potential errors related to sampling and sending samples including: sampling design, sampling methodology, sample heterogeneity, management and custody of the sample (s).
- 7. Identify the need to implement corrective action.

INSTRUCTIONS:

- 1. Inspection photos should be attached to this report.
- 2. If the sampling points are different from the diagram, a sketch must be made on the corresponding sheet.
- 3. The EQB Technician is authorized to make decisions that facilitate the sampling work and that do not affect what is established in the Permanent Closure Guide. It is not authorized to make modifications or to intervene in the decisions that pertain to the petitioner and/or specialized personnel. In case of reasonable doubt you should contact your immediate supervisor and/or the WQA Manager.

| | GENERAL INFORMA | TION | |
|-----------------------------|-----------------|-----------------------|--|
| 1. Project's name: | | | |
| 2. Physical address: | | | |
| | | | |
| 3. No. UST: | | | |
| 4. Contractor: | | | |
| | | (Name of the Company) | |
| 5. Project manager: | | | |
| 6. Name of the Inspector: | | | |
| 7. Scheduled Date Activity: | | | |
| | Start date | Finish date | |

JCA- UST-OII Page 1

| Type of activity to be carried out | Spo | ecial conditions during sampling |
|------------------------------------|---|---|
| Installation of | ☐ Weather conditions: | |
| groundwater | | er:Temp: |
| monitoring wells | Obstacles present at the time | of sampling: |
| | □ Access denied | |
| Drilling tasting | ☐ Sampling personnel was not in | the area |
| 8 3 3 3 | ☐ Lack of equipment and / or ma | |
| Soil sampling | | ed by EQB to perform the sampling activities |
| | | rea: |
| Sampling groundwater | | |
| wells | Utiler. | |
| | It was necessary to cancel the sam | pling due to the situation indicated Yes No |
| Other (specify) | | |
| (- | | |
| | Work resumed? ☐ Yes ☐ No | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | Personnel | in the project |
| Name | Agency / Company | Position |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| | ·· <u>-</u> | | |
|---|-------------|----------|-----|
| Required documentation | YES | NO* | N/A |
| Copy of the letter of authorization for the works to be carried out | | | |
| * Why? | | | |
| Access permission duly signed | | | |
| * Why? | | | |
| Field notebook | | | |
| * Why? | | | |
| Appropiate chain of custody sheets. | | | |
| No. Custody sheets (squential): | | | |
| * Why? | | | |
| Notebook or calibration sheet of field instruments | | | |
| * Why? | | L | |
| Health and Safety | YES | NO* | N/A |
| Health and Safety Officer in the project: | | 110 | |
| | | | |
| Does the corresponding talk on health and safety protocols was made to all personnel? | | | |
| (Annex 7 of the Permanent Closure Guide) | | | |
| * Why? | | | |
| Did each person who works in the area or who visits the area beyond the cleaning/security zone sign the | e | | |
| knowledge and safety plan sheet? (Annex 2 of the Permanent Closure Guide) | | | |
| * Why? | | | |
| Did each person who works in the area or who visits the area signed the visiting sheet? | | | |
| (Annex 3 of the Permanent Closure Guide) | | | |
| * Why? | | | |
| Is the use of personal protective equipment in accordance with the levels of protection established in th | e | | |
| Permanent Closure Guide? | | | |
| * Why? | | L | |
| Exposure information according to OSHA placed in a visible place? | | | |
| * Why? | | <u> </u> | |
| The work areas are demarcated with signs or something visible for: | | | |
| ☐ Clean area | | | |
| ☐ Decontamination zone | | | |
| ☐ Exclusion zone | | | |
| * Why? | | | |
| Is the list of contacts and emergency numbers available? | | | |
| (Annex 4 of the Permanent Closure Guide) | | | |
| * Why? | | L | |
| Is the emergency equipment accessible and listed according to Annex 5 of the Permanent Closure Guide | ? | | |
| * Why? | - | | |
| Was there an accident during the sampling work? | | | |
| * Why? | | | |
| Was Annex 6 of the Permanent Closure Guide completed to report that accident? | | | |
| * Why? | | | |
| * wny? Was the traffic control adequate and as established in the Permanent Closure Guide? | | | |
| · | | | |
| * Why? | | | |

| Before taking samples | YES | NO* | N/A |
|---|-----------|-----------|--------------|
| The location of the tastings or groundwater monitoring wells, are demarcated and are in | | | |
| accordance with the authorization of the approved works? (Indicate it in the sampling | | | |
| point diagram) | | | |
| * Why? | | Ī | |
| Before taking samples from groundwater monitoring wells, were the wells purged? | | | |
| * Why? | | | |
| The readings of temperature, specific conductivity and pH of the water purged from the | | | |
| wells; were duly documented? | | | |
| How are the conditions of the cooler? | | | |
| ☐ Filtration ☐ Badly sealed ☐ Dirty ☐ In good condition ☐ With enough ice | | | |
| ☐ Contains a thermometer at 4oC ± 2oC in a bottle with water | | | |
| Others, which: | | | |
| QA / QC samples are present? Field Blank | | | |
| Field Blank | | | |
| Equipment Blank | | | |
| ** It must be opened during the process of taking one of the sampling points for the volatiles and closing ir | nmediat | elv after | finishing |
| each sample at that point. | iiiieaiai | ciy arter | iiiiisiiiiig |
| *** It must remain inside the cooler and be delivered in conjunction with the samples collected, to the la | aboratoi | v hired. | |
| What equipment was used to collect the water samples: | | , | |
| ☐ Teflon bailer ☐ Peristaltic pump ☐ Dipper ☐ Stainless steel container ☐ Other: | | | |
| What equipment was used to collect the soil samples: | | | |
| □ Spatulas: □ Stainless steel □ "Carbon Steel" □ Dedicated □ No Dedicated | | | |
| ☐ Disposable spatulas ☐ Hand Auger | | | |
| ☐ Drill or borer: Type or Brand Type or brand of "liner" used | | _ | |
| During the drilling of borings | YES | NO* | N/A |
| Groundwater was found? | | | |
| ID Boring Depth reached | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Was groundwater samples taken for tracking? If it is affirmative, document in the Table of Field Data - | | | |
| Water Matrix and describe the appearance of the groundwater sample (color, odor, presence of | | | |
| product). | | | |
| Of the borings made, was one developed or will it be developed as an groundwater monitoring well? | | | |
| | | | |
| ID Boring:,,,,, | | | |
| | | | |
| Was tracked soil obtained from the perforations by instrument (PID) to establish the existence of vapor | | | |
| concentrations of Volatile Organic Compounds (VOC)? * Why? | | | |
| Was the equipment (PID) properly calibrated? Was the calibration document verified? | | | |
| * Why? | | | |

JCA- UST-DII Page 4

During the sampling

SPECIAL CONSIDERATIONS:

- Each sample must be deposited in the ice-cooler immediately the same was taken.
- Duplicate samples should be taken simultaneously or immediately one after the other.
- The samples have to be deposited in Ziploc plastic bags by parameter and by matrix.
- The samples will be collected in a Grab (fortuitous) way.
- After collecting the samples at each sampling point, they should be stored immediately in the cooler to be preserved at the regulatory temperature of $4^{\circ}\text{C} \pm 2^{\circ}\text{C}$.
- Take field duplicates (1 duplicate for every 10 samples, 2 for every 20, 3 for every 30, and so on).
- Do not rinse any of the bottles, especially those containing preservatives.
- No bubbles or air spaces should be left in the container containing the sample in the case of VOCs.
- The EQB technician cannot sign the Chain of Custody.

| After sampling | YES | NO* | N/A |
|---|-----|-----|-----|
| Do the sample containers have the labels ("labels") previously stuck, waterproof and filled in all | | | |
| their parts? (sample number, matrix, type of sample, preservative, collector signature, date, time, etc.) | | | |
| * Why? | | | |
| Check that the chain of custody information corresponds to the samples taken. | | | |
| * Why? | | | |
| Verify that the chain of custody is filled in all its parts as appropriate and signed. | | | |
| * Why? | | | |
| Check the temperature of the refrigerator before being sent to the laboratory. | | | |
| * Why? | | | |
| Was all the land removed from the excavations arranged in accordance with what was indicated in the | | | |
| Site Investigation Plan or Confirmatory Sampling? | | | |
| * Why? | | | |

JCA- UST-Off Page 5

| | | | | | | | | | | | | | | | F | E | LD | DA | \T | A | | | | | | | | | | | | | | |
|------------------------------------|-------------|-------------|--------------|----------|--------------|---------------------------------|--------------------------|--------------------------|------------------------------------|------------------------------|---------|------------|----------------------|------------------|------------------------|------------------------|----------|--------------|----------|-------------|--------------|----------|---------------------------|------------|----|---------------|----|-------|--------|-----------|--------------|--------------------|------------|-----|
| | | | | | | | | | | | Ma | atri | x: | So | il | | | | | | | | | · | | | | | | | | | | |
| | | | | Benzene | Toluene | Ethylbenzene Xvlenes (mixed) | Ethylene dibromide (DBE) | 1,2-cis-Dichloroethylene | Methyl Tertiary Butyl Ether (MTBE) | Tertiary Butyl Alcohol (TBA) | Ethanol | Anthracene | Benzo (a) anthracene | Benzo (a) pyrene | Benzo (b) Fluoranthene | Benzo (k) fluoranthene | Chrysene | Fluoranthene | Fluorene | Naphthalene | Fenantinrene | Lead | the cooler | Hydrogardy | | Discoloration | | | | Soil type | | | | |
| Identification of the sample | Sample time | PID reading | Depth (feet) | 4 Ounces | 4 Ounces | 4 Ounces | 4 Ounces | 4 Ounces | 4 Ounces | | 400000 | 4 Ounces | 4 Ounces | 4 Ounces | 4 Ounces | 4 Ounces | 4 Ounces | 4 Ounces | 4 Ounces | 4 Ounces | A Ounces | 4 Ounces | Temperature of the cooler | Yes | No | Yesl | No | Sandy | Clayey | Gravel | Silt - Slime | Decomposed Rock | Observatio | ons |
| | | | | | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | \perp | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | + | | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | \pm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | $oxed{\top}$ | Ŧ | | | | | | | | | Ŧ | | | | 7 | | - | | | | | | | | | | | | | |
| | | | | | + | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | - |
| | | | | | # | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | G | ΙE | LD | D | ΑT | Ά | | | | | | | | | | | | | | | | |
|------------------------------------|-------------|-------------|--------------|-------------|---------------------|---------------------------------|--------------------------|--------------------------|------------------------------------|------------------------------|--------------------|------------------|----------------------|------------------|------------------------|---|------------------|------------------|------------------|-------------|-------------------|--------------------------------------|----|---------------------------|-----------------|-----------------------|-----|---------------|-------|--------|-----------|--------------|--------------------|----------|---------|------|
| | | | | | | | | | | N | lat | rix | : V | Vat | ter | | | | | | | | l | | | | | | | | | | | | | |
| | | | | Benzene | Toluene Ethylponago | Ethylbenzene Xvlenes (mixed) | Ethylene dibromide (DBE) | 1,2-cis-Dichloroethylene | Methyl Tertiary Butyl Ether (MTBE) | Tertiary Butyl Alcohol (TBA) | Ethanol | Anthracene | Benzo (a) anthracene | Benzo (a) pyrene | Benzo (b) Fluoranthene | Belizo (g,ii,i) pyrelle Renzo (k) fluoranthene | Chrysene | Fluoranthene | Fluorene | Naphthalene | Fenanthrene | Pyrene Lead | | the cooler | TOTO SUCCESSION | riyai ocai bolis odol | | Discoloration | | | Soil type | | | | | |
| Identification of the sample | Sample time | PID reading | Depth (feet) | Vial 40 mL* | Vial 40 mL* | Vial 40 mL* | 1 liter glass * | 1 liter glass * | Vial 40 mL* | | 1 | 1 liter glass ** | 1 liter glass ** | 1 liter glass ** | 1 liter glass ** | 1 liter glass | 1 liter glass ** | 1 liter glass ** | 1 liter glass ** | | - | 1 liter glass ** 500 mL plastic * | | Temperature of the cooler | Yes | No | Yes | No | Sandy | Clayey | Gravel | Silt - Slime | Decomposed Rock | 0 | bservat | ions |
| | | | | | \blacksquare | | | | | | | | | | | | | | | | | | | | | | | | | | | | | H | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | \dashv | | | | | | | | | | | | | | | | - | | - | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | $\frac{1}{1}$ | | | | | | | - | | | - | | | | | | | | ┢ | | | | | | | | | | | H | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | + | | | | | | | - | - | | + | | - | - | - | | - | | ┢ | | | | | | | | | | | \vdash | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Use of Preservativ | es: | * | HCl, pH< | <2_ | | es_[| □No | | | ** | Na ₂ S: | <u>0</u> 3 | | Yes | □N | lo_ | | | <u> </u> | <u> </u> | NO ₃ , | , pH< | :2 | | es [| □No | | | | | | | | | | |

| Diagram or Ske Draw the area where the sampling was conducted and groundwater monitor | tch specify the location of the tastings and / or ring wells |
|---|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Compling photographs were taken | Compling photographs were retailed |
| \square Sampling photographs were taken (Attach them to this form or submit them in digital format) | ☐ Sampling photographs were not taken Why? |

| | EQB Inspector Comments | |
|--|---|-----------------------------|
| ☐ No deficiencies and/or observa | tions were observed upon completion of the sampling inspect | ion. |
| ☐ The facility in reference was durecommended corrective action (s | y inspected by an inspector and the following are the observal: | ations of the inspector and |
| Additional observations and recom | mended action (s) (if applicable): | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Name of the Inspector who perforn | ns the inspection: | |
| - | Mold Letter | _ |
| | Signature Inspection Date: | |
| | inspection butc. | - |

JCA- UST-DII Page 9